



EMC Test Report

Product : Multipurpose ozone sterilizer for water and air

Trade Name : N/A

Model Number : ST-500WOG,ST-500WOG-A,ST-500WOG-B,
ST-500WOG-C,ST-500WOG-D, ST-210RDC,
ST-210LAC,ST-B200-A,ST-B200,ST-003,
2002-500WOG,2108-003,ST-FD200,
ST-FD200A,ST-FD200B,IVAWOZ2

Issued for

Zhuhai Safety Home Appliance Co., Limited

No. B401, Building 1, No. 27, Baijiaonan road, Baijiao Industrial Park, Baijiao Town,
Doumen District, Zhuhai city, Guangdong province, China

Prepared by

Shenzhen ATL Testing Technology Co., Ltd.

Floor.5, Genesis Zhongye Building, No.22, Puzai Road, Pingdi Street, Longgang
District ,Shenzhen, Guangdong, China

Web:[Http://www.atllab.org](http://www.atllab.org)

Mail:atl@atllab.org

Note: This report shall not be reproduced except in full, without the written approval of Shenzhen ATL Testing Technology Co., Ltd.. This document may be altered or revised by Shenzhen ATL Testing Technology Co., Ltd. personnel only, and shall be noted in the revision section of the document. The test results in the report only apply to the tested sample.

TEST RESULT CERTIFICATION

Product: Multipurpose ozone sterilizer for water and air
Brand Mark: N/A
Applicant: Zhuhai Safety Home Appliance Co., Limited
Address: No. B401, Building 1, No. 27, Baijiaonan road, Baijiao Industrial Park, Baijiao Town, Doumen District, Zhuhai city, Guangdong province, China
Manufacturer: Zhuhai Safety Home Appliance Co., Limited
Address: No. B401, Building 1, No. 27, Baijiaonan road, Baijiao Industrial Park, Baijiao Town, Doumen District, Zhuhai city, Guangdong province, China
Model No.: ST-500WOG
Standards: EN 55014-1:2017;
EN 55014-2:2015;
EN 61000-3-2:2014;
EN 61000-3-3:2013.

The above equipment has been tested by Shenzhen ATL Testing Technology Co., Ltd. and found compliance with the requirements set forth in the technical standards mentioned above. The results of testing in this report apply only to the product/system, which was tested. Other similar equipment will not necessarily produce the same results due to production tolerance and measurement uncertainties.

Date of Test

Date (s) of performance of tests: 2021-08-16 to 2021-08-24

Date of Issue.....: 2021-08-24

Test Result.....: Pass

Testing by : Rose Fang Date : 2021-08-24
(Rose Fang)

Check by : Jane He Date : 2021-08-24
(Jane He)

Approved by : July Yan Date : 2021-08-24
(July Yan)



| Table of Contents | Page |
|--|-------------|
| 1 . TEST SUMMARY | 5 |
| 1.1 TEST FACILITY | 6 |
| 1.2 MEASUREMENT UNCERTAINTY | 6 |
| 2 . GENERAL INFORMATION | 7 |
| 2.1 GENERAL DESCRIPTION OF EUT | 7 |
| 2.2 DESCRIPTION OF TEST MODES | 8 |
| 2.3 DESCRIPTION OF TEST SETUP | 9 |
| 2.4 DESCRIPTION TEST PERIPHERAL AND EUT PERIPHERAL | 10 |
| 2.5 MEASUREMENT INSTRUMENTS LIST | 11 |
| 3 . EMC EMISSION TEST | 13 |
| 3.1 CONDUCTED EMISSION MEASUREMENT | 13 |
| 3.1.1 POWER LINE CONDUCTED EMISSION | 13 |
| 3.1.3 TEST PROCEDURE | 14 |
| 3.1.4 TEST SETUP | 14 |
| 3.1.5 EUT OPERATING CONDITIONS | 14 |
| 3.1.6 TEST RESULTS | 15 |
| 3.2 RADIATED EMISSION MEASUREMENT | 17 |
| 3.2.1 LIMITS OF RADIATED EMISSION MEASUREMENT | 17 |
| 3.2.2 LIMITS OF DISTURBANCE POWER MEASUREMENT | 17 |
| 3.2.3 TEST PROCEDURE | 17 |
| 3.2.4 TEST SETUP | 18 |
| 3.2.5 EUT OPERATING CONDITIONS | 18 |
| 3.2.6 TEST RESULTS(30MHz-1000MHz) | 19 |
| 3.3 HARMONICS CURRENT | 21 |
| 3.3.1 LIMITS OF HARMONICS CURRENT | 21 |
| 3.3.1.1 TEST PROCEDURE | 22 |
| 3.3.1.2 EUT OPERATING CONDITIONS | 22 |
| 3.3.1.3 TEST SETUP | 22 |
| 3.3.2 TEST RESULTS | 23 |
| 3.4 VOLTAGE FLUCTUATION AND FLICKERS | 29 |
| 3.4.1 LIMITS OF VOLTAGE FLUCTUATION AND FLICKERS | 29 |
| 3.4.1.1 TEST PROCEDURE | 29 |
| 3.4.1.2 EUT OPERATING CONDITIONS | 29 |
| 3.4.1.3 TEST SETUP | 29 |
| 3.4.2 TEST RESULTS | 30 |
| 4 . EMC IMMUNITY TEST | 31 |
| 4.1 STANDARD COMPLIANCE/ SERVORITY LEVEL/ CRITERIA | 31 |

| Table of Contents | Page |
|---|-------------|
| 4.2 GENERAL PERFORMANCE CRITERIA | 32 |
| 4.3 GENERAL PERFORMANCE CRITERIA TEST SETUP | 32 |
| 4.4 ESD TESTING | 33 |
| 4.4.1 TEST SPECIFICATION | 33 |
| 4.4.2 TEST PROCEDURE | 33 |
| 4.4.3 TEST SETUP | 34 |
| 4.4.4 TEST RESULTS | 35 |
| 4.4.5 PHOTO(S) SHOWN THE LOCATION(S) OF ESD EVALUATED | 35 |
| 4.5 RS TESTING | 36 |
| 4.5.1 TEST SPECIFICATION | 36 |
| 4.5.2 TEST PROCEDURE | 36 |
| 4.5.3 TEST SETU | 37 |
| 4.5.4 TEST RESULTS | 38 |
| 4.6 EFT/BURST TESTING | 39 |
| 4.6.1 TEST SPECIFICATION | 39 |
| 4.6.2 TEST PROCEDURE | 39 |
| 4.6.3 TEST SETUP | 40 |
| 4.6.4 TEST RESULTS | 41 |
| 4.7 SURGE TESTING | 42 |
| 4.7.1 TEST SPECIFICATION | 42 |
| 4.7.2 TEST PROCEDURE | 42 |
| 4.7.3 TEST SETUP | 43 |
| 4.7.4 TEST RESULTS | 44 |
| 4.8 INJECTION CURRENT TESTING | 45 |
| 4.8.1 TEST SPECIFICATION | 45 |
| 4.8.2 TEST PROCEDURE | 45 |
| 4.8.3 TEST SETUP | 45 |
| 4.8.4 TEST RESULTS | 46 |
| 4.9 VOLTAGE INTERRUPTION/DIPS TESTING | 47 |
| 4.9.1 TEST SPECIFICATION | 47 |
| 4.9.2 TEST PROCEDURE | 47 |
| 4.9.3 TEST SETUP | 47 |
| 4.9.4 TEST RESULTS | 48 |
| 5. ATTACHMENT PHOTOGRAPHS OF EUT | 49 |

1. TEST SUMMARY

Test procedures according to the technical standards:

| EMC Emission | | | | |
|----------------------------|--------------------------------|--------------------------|----------|--------|
| Standard | Test Item | Limit | Judgment | Remark |
| EN 55014-1:2017 | Conducted Emission | Class B | PASS | |
| | Radiated Emission | Class B | PASS | |
| EN61000-3-2:2014 | Harmonic Current Emission | Class A or D NOTE (2) | PASS | |
| EN 61000-3-3:2013 | Voltage Fluctuations & Flicker | ----- | PASS | |
| EMC Immunity | | | | |
| Section EN55014-2:2015 | Test Item | Performance Criteria | Judgment | Remark |
| EN 61000-4-2:2009 | Electrostatic Discharge | B | PASS | |
| EN 61000-4-3:2006/A2:2010 | RF electromagnetic field | A | PASS | |
| EN 61000-4-4:2012 | Fast transients | B | PASS | |
| EN 61000-4-5:2014/A1:2017 | Surges | B | PASS | |
| EN 61000-4-6:2014/AC:2015 | Injected Current | A | PASS | |
| EN 61000-4-11:2004/A1:2017 | Volt. Interruptions Volt. Dips | C / C / C NOTE (3) | PASS | |

NOTE:

- (1) 'N/A' denotes test is not applicable in this Test Report
 - (2) No limits apply for equipment with an active input power up to and including 75W.
 - (3) Voltage dip: 0% reduction – Performance Criteria **C**
 Voltage dip: 30% reduction – Performance Criteria **C**
 Voltage dip: 60% reduction – Performance Criteria **C**
- For client's request and manual description, the test will not be executed.

1.1 TEST FACILITY

Shenzhen ATL Testing Technology Co., Ltd.

Add. : Floor.5,Genesis Zhongye Building,No.22,Puzai Road,Pingdi Street,Longgang District, Shenzhen,Guangdong,China

Our laboratories are accredited and approved by the following approval agencies according to ISO/IEC 17025.

1.2 MEASUREMENT UNCERTAINTY

The reported uncertainty of measurement $y \pm U$, where expanded uncertainty U is based on a standard uncertainty multiplied by a coverage factor of $k=2$, providing a level of confidence of approximately **95** %.

A. Conducted Measurement :

| Test Site | Method | Measurement Frequency Range | U, (dB) | NOTE |
|-----------|--------|-----------------------------|---------|------|
| C | ANSI | 150 KHz ~ 30MHz | 3.2 | |

B. Radiated Measurement :

| Test Site | Method | Measurement Frequency Range | U, (dB) | NOTE |
|-----------|--------|-----------------------------|---------|------|
| A | ANSI | 30MHz ~ 1000MHz | 4.7 | |
| | | 1GHz ~6GHz | 5.0 | |

2. GENERAL INFORMATION

2.1 GENERAL DESCRIPTION OF EUT

| | | |
|---------------------|--|-----|
| Equipment | Multipurpose ozone sterilizer for water and air | |
| Model Name | ST-500WOG | |
| Serial No | ST-500WOG-A,ST-500WOG-B,ST-500WOG-C, ST-500WOG-D,ST-210RDC,ST-210LAC,ST-B200-A, ST-B200,ST-003,2002-500WOG,2108-003,ST-FD200, ST-FD200A,ST-FD200B,IVAWOZ2 | |
| Model Difference | Different appearance and colour. | |
| Product Description | The EUT is a Multipurpose ozone sterilizer for water and air | |
| | Operating frequency: | N/A |
| | Connecting I/O port: | N/A |
| | Based on the application, features, or specification exhibited in User's Manual, the EUT is considered as an Household Device. More details of EUT technical specification, please refer to the User's Manual. | |
| Power Source | AC Voltage | |
| Power Rating | Input: AC 230V~ | |

2.2 DESCRIPTION OF TEST MODES

To investigate the maximum EMI emission characteristics generates from EUT, the test system was pre-scanning tested base on the consideration of following EUT operation mode or test configuration mode which possible have effect on EMI emission level. Each of these EUT operation mode(s) or test configuration mode(s) mentioned above was evaluated respectively.

| Pretest Mode | Description |
|--------------|-------------|
| Mode 1 | Running |


| For Conducted Test | |
|--------------------|-------------|
| Final Test Mode | Description |
| Mode 1 | Running |

| For Radiated Test | |
|-------------------|-------------|
| Final Test Mode | Description |
| Mode 1 | Running |

| For EMS Test | |
|-----------------|-------------|
| Final Test Mode | Description |
| Mode 1 | Running |

2.3 DESCRIPTION OF TEST SETUP

Mode :



2.4 DESCRIPTION TEST PERIPHERAL AND EUT PERIPHERAL

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

| Item | Equipment | Mfr/Brand | Model/Type No. | Series No. | Note |
|------|---|-----------|----------------|--|------|
| E-1 | Multipurpose ozone sterilizer for water and air | N/A | ST-500WOG | ST-500WOG-A, ST-500WOG-B, ST-500WOG-C, ST-500WOG-D, ST-210RDC, ST-210LAC, ST-B200-A,ST-B200, ST-003, 2002-500WOG, 2108-003, ST-FD200, ST-FD200A, ST-FD200B, IVAWOZ2 | EUT |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| Item | Shielded Type | Ferrite Core | Length | Note |
|------|---------------|--------------|--------|------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Note:

- (1) The support equipment was authorized by Declaration of Confirmation.
- (2) For detachable type I/O cable should be specified the length in cm in 『Length』 column.
- (3) 'YES' means 'shielded' 'with core'; 'NO' means 'unshielded' 'without core'.

2.5 MEASUREMENT INSTRUMENTS LIST

2.5.1 CONDUCTED TEST SITE

| Item | Kind of Equipment | Manufacturer | Type No. | Serial No. | Last calibration | Calibrated until | Calibration period |
|------|-----------------------|--------------|------------|------------|------------------|------------------|--------------------|
| 1 | LISN | R&S | ENV216 | 101313 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 2 | LISN | SCHWARZBECK | NNLK 8129 | 8129245 | Jul. 16, 2021 | Jul. 15, 2022 | 1 year |
| 3 | Pulse Limiter | SCHWARZBECK | VTSD 9561F | 9716 | Jul. 16, 2021 | Jul. 15, 2022 | 1 year |
| 4 | 50Ω Switch | ANRITSU CORP | MP59B | 6200983704 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 5 | Test Cable | N/A | C01 | N/A | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 6 | Test Cable | N/A | C02 | N/A | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 7 | Test Cable | N/A | C03 | N/A | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 8 | EMI Test Receiver | R&S | ESCI | 101160 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 9 | Passive Voltage Probe | ESH2-Z3 | R&S | 100196 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 10 | Triple-Loop Antenna | EVERFINE | LIA-2 | 11020003 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 11 | Absorbing Clamp | R&S | MDS-21 | 100423 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |

2.5.2 RADIATED TEST SITE

| Item | Kind of Equipment | Manufacturer | Type No. | Serial No. | Last calibration | Calibrated until | Calibration period |
|------|-------------------|--------------|-------------|------------|------------------|------------------|--------------------|
| 1 | Bilog Antenna | TESEQ | CBL6111D | 31216 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 2 | Test Cable | N/A | R-01 | N/A | Jul. 16, 2021 | Jul. 15, 2022 | 1 year |
| 3 | Test Cable | N/A | R-02 | N/A | Jul. 16, 2021 | Jul. 15, 2022 | 1 year |
| 4 | EMI Test Receiver | R&S | ESCI-7 | 101318 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 5 | Antenna Mast | EM | SC100_1 | N/A | N/A | N/A | N/A |
| 6 | Turn Table | EM | SC100 | 060531 | N/A | N/A | N/A |
| 7 | 50Ω Switch | Anritsu Corp | MP59B | 6200983705 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 8 | Spectrum Analyzer | Aglient | E4407B | MY45108040 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 9 | Horn Antenna | EM | EM-AH-10180 | 2011071402 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 10 | Amplifier | EM | EM-30180 | 060538 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |

2.5.3 HARMONICS AND FILCK

| Item | Kind of Equipment | Manufacturer | Type No. | Serial No. | Last calibration | Calibrated until | Calibration period |
|------|--------------------|--------------|----------|------------|------------------|------------------|--------------------|
| 1 | Harmonic & Flicker | EM TEST | DPA500 | 0303-04 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |

| | | | | | | | |
|---|-----------------|---------|--------|---------|---------------|---------------|--------|
| 2 | AC Power Source | EM TEST | ACS500 | 0203-01 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
|---|-----------------|---------|--------|---------|---------------|---------------|--------|

2.5.4 ESD

| Item | Kind of Equipment | Manufacturer | Type No. | Serial No. | Last calibration | Calibrated until | Calibration period |
|------|--------------------|--------------|----------|------------|------------------|------------------|--------------------|
| 1 | ESD TEST GENERATOR | SCHAFFNER | NSG438 | 859 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |

2.5.5 RS

| Item | Kind of Equipment | Manufacturer | Type No. | Serial No. | Last calibration | Calibrated until | Calibration period |
|------|------------------------|--------------|------------|------------|------------------|------------------|--------------------|
| 1 | Signal Generator | R&S | SMT 06 | 832080/007 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 2 | Log-Bicon Antenna | Schwarzbeck | VULB9161 | 4022 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 3 | Power Amplifier | AR | 150W1000M1 | 320946 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 4 | Microwave Horn Antenna | AR | AT4002A | 321467 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 5 | Power Amplifier | AR | 25S1G4A | 308598 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |

2.5.6 SURGE, EFT/BURST, VOLTAGE INTERRUPTION/DIPS

| Item | Kind of Equipment | Manufacturer | Type No. | Serial No. | Last calibration | Calibrated until | Calibration period |
|------|-------------------|--------------|----------------|------------|------------------|------------------|--------------------|
| 1 | Surge Generator | EVERFINE | EMS61000-5A | 1101002 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 2 | DIPS Generator | EVERFINE | EMS61000-11 K | 1011002 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 3 | EFT/B Generator | EVERFINE | EMS61000-4A-V2 | 1012005 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |

2.5.7 INJECTION CURRENT

| Item | Kind of Equipment | Manufacturer | Type No. | Serial No. | Last calibration | Calibrated until | Calibration period |
|------|-------------------|--------------|-------------|------------|------------------|------------------|--------------------|
| 1 | Signal Generator | IFR | 2023A | 202301/368 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 2 | Power Amplifier | AR | 75A250AM1 | 0320709 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 3 | CDN | FCC | FCC-801-M2 | 06043 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |
| 4 | EM Clamp | FCC | F-203I-23MM | 504 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |

2.5.8 MF

| Item | Kind of Equipment | Manufacturer | Type No. | Serial No. | Last calibration | Calibrated until | Calibration period |
|------|-------------------|--------------|-------------|------------|------------------|------------------|--------------------|
| 1 | Generator | EVERFINE | EMS61000-8K | 1007001 | Jul. 06, 2021 | Jul. 05, 2022 | 1 year |

3. EMC EMISSION TEST

3.1 CONDUCTED EMISSION MEASUREMENT

3.1.1 POWER LINE CONDUCTED EMISSION (Frequency Range 150KHz-30MHz)

| Frequency Range (MHz) | At mains terminals | | At load terminals and additional terminals | |
|-----------------------|--------------------|----------------|--|----------------|
| | Quasi-peak (dBuV) | Average (dBuV) | Quasi-peak (dBuV) | Average (dBuV) |
| 0.15 -0.5 | 66 - 56 * | 56 - 46 * | 80.00 | 70.00 |
| 0.50 -5.0 | 56.00 | 46.00 | 74.00 | 64.00 |
| 5.0 -30.0 | 60.00 | 50.00 | 74.00 | 64.00 |

3.1.2 MAINS TERMINALS OF TOOLS

| Frequency Range (MHz) | Rated motor power not exceeding 700W | | Rated motor power above 700W and not exceeding 1 000 W | | Rated motor power above 1 000 W | |
|-----------------------|--------------------------------------|-------------------|--|-------------------|---------------------------------|-------------------|
| | dB (uV) Quasi-peak | dB (uV) Average** | dB (uV) Quasi-peak | dB (uV) Average** | dB (uV) Quasi-peak | dB (uV) Average** |
| 0.15 -0.5 | 66.0 to 59.0* | 59.0 to 49.0* | 70.0 to 63.0* | 63.0 to 53.0* | 76.0 to 69.0* | 69.0 to 59.0* |
| 0.50 -5.0 | 59.0 | 49.0 | 63.0 | 53.0 | 69.0 | 59.0 |
| 5.0 -30.0 | 64.0 | 54.0 | 68.0 | 58.0 | 74.0 | 64.0 |

Note:

- (1) The tighter limit applies at the band edges.
- (2) The limit of ' * ' marked band means the limitation decreases linearly with the logarithm of the frequency in the range.
- (3) '**' If the limit for the measurement with the average detector is met when using a receiver with a quasi-peak detector, the equipment under test shall be deemed to meet both limits and the measurement using the receiver with an average detector need not be carried out.


The following table is the setting of the receiver

| Receiver Parameters | Setting |
|---------------------|----------|
| Attenuation | 10 dB |
| Start Frequency | 0.15 MHz |
| Stop Frequency | 30 MHz |
| IF Bandwidth | 9 kHz |

3.1.3 TEST PROCEDURE

- a. The EUT was placed 0.8 meters from the horizontal ground plane with EUT being connected to the power mains through a line impedance stabilization network (LISN). All other support equipments powered from additional LISN(s). The LISN provide 50 Ohm/ 50uH of coupling impedance for the measuring instrument.
- b. Interconnecting cables that hang closer than 40 cm to the ground plane shall be folded back and forth in the center forming a bundle 30 to 40 cm long.
- c. I/O cables that are not connected to a peripheral shall be bundled in the center. The end of the cable may be terminated, if required, using the correct terminating impedance. The overall length shall not exceed 1 m.
- d. LISN at least 80 cm from nearest part of EUT chassis.
- e. For the actual test configuration, please refer to the related Item –EUT Test Photos.

3.1.4 TEST SETUP




- Note: 1. Support units were connected to second LISN.**
2. Both of LISNs (AMN) are 80 cm from EUT and at least 80 cm from other units and other metal planes

3.1.5 EUT OPERATING CONDITIONS

The EUT tested system was configured as the statements of 2.3 Unless otherwise a special operating condition is specified in the follows during the testing.

3.1.6 TEST RESULTS


| | | | |
|----------------|---|---------------------|------------|
| EUT : | Multipurpose ozone sterilizer for water and air | Model Name. : | ST-500WOG |
| Temperature : | 26 °C | Relative Humidity : | 54% |
| Pressure : | 1010hPa | Test Date : | 2021-08-19 |
| Test Mode : | Running | Phase : | L |
| Test Voltage : | AC 230V/50Hz | | |



Site: Phase: *L1* Temperature: 24
 Limit: EN55014-1:2017 Conduction (QP) Power: Humidity: 55 %
 EUT:
 Model:
 Mode:
 Note:

| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|---------|---------------|----------------|-------------|-------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV | dBuV | dB | | |
| 1 | * | 0.1500 | 42.23 | 9.29 | 51.52 | 66.00 | -14.48 | peak | |
| 2 | | 0.1500 | 29.54 | 9.29 | 38.83 | 59.00 | -20.17 | AVG | |
| 3 | | 0.2900 | 19.09 | 9.95 | 29.04 | 51.88 | -22.84 | AVG | |
| 4 | | 0.3540 | 23.59 | 9.88 | 33.47 | 58.87 | -25.40 | peak | |
| 5 | | 0.5820 | 10.67 | 9.92 | 20.59 | 46.00 | -25.41 | AVG | |
| 6 | | 0.7340 | 21.48 | 10.00 | 31.48 | 56.00 | -24.52 | peak | |
| 7 | | 1.7460 | 5.78 | 10.20 | 15.98 | 46.00 | -30.02 | AVG | |
| 8 | | 2.0340 | 14.18 | 10.00 | 24.18 | 56.00 | -31.82 | peak | |
| 9 | | 4.0540 | -1.41 | 10.22 | 8.81 | 46.00 | -37.19 | AVG | |
| 10 | | 6.9180 | 13.33 | 10.30 | 23.63 | 60.00 | -36.37 | peak | |
| 11 | | 13.5620 | 0.65 | 10.41 | 11.06 | 50.00 | -38.94 | AVG | |
| 12 | | 13.7260 | 15.87 | 10.41 | 26.28 | 60.00 | -33.72 | peak | |

| | | | |
|----------------|---|---------------------|------------|
| EUT : | Multipurpose ozone sterilizer for water and air | Model Name. : | ST-500WOG |
| Temperature : | 26 °C | Relative Humidity : | 54% |
| Pressure : | 1010hPa | Test Date : | 2021-08-19 |
| Test Mode : | Running | Phase : | N |
| Test Voltage : | AC 230V/50Hz | | |



Site: Phase: **N** Temperature: 24
 Limit: EN55014-1:2017 Conduction (QP) Power: Humidity: 55 %
 EUT:
 Model:
 Mode:
 Note:

| No. Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|---------|---------|---------------|----------------|-------------|-------|--------|----------|---------|
| | MHz | dBuV | dB | dBuV | dBuV | dB | | |
| 1 * | 0.1500 | 44.58 | 9.61 | 54.19 | 66.00 | -11.81 | peak | |
| 2 | 0.1500 | 36.33 | 9.61 | 45.94 | 59.00 | -13.06 | AVG | |
| 3 | 0.2980 | 26.62 | 10.17 | 36.79 | 60.30 | -23.51 | peak | |
| 4 | 0.2980 | 20.26 | 10.17 | 30.43 | 51.59 | -21.16 | AVG | |
| 5 | 0.4500 | 18.52 | 10.06 | 28.58 | 47.14 | -18.56 | AVG | |
| 6 | 0.5980 | 20.16 | 10.13 | 30.29 | 56.00 | -25.71 | peak | |
| 7 | 2.0940 | 18.69 | 10.41 | 29.10 | 56.00 | -26.90 | peak | |
| 8 | 2.0940 | 8.78 | 10.41 | 19.19 | 46.00 | -26.81 | AVG | |
| 9 | 4.6340 | 2.07 | 10.33 | 12.40 | 46.00 | -33.60 | AVG | |
| 10 | 4.9340 | 13.50 | 10.34 | 23.84 | 56.00 | -32.16 | peak | |
| 11 | 24.0020 | 11.73 | 11.06 | 22.79 | 50.00 | -27.21 | AVG | |
| 12 | 26.1860 | 21.72 | 11.14 | 32.86 | 60.00 | -27.14 | peak | |

3.2 RADIATED EMISSION MEASUREMENT

3.2.1 LIMITS OF RADIATED EMISSION MEASUREMENT (Below 1000MHz)

| FREQUENCY (MHz) | At 10m | At 3m |
|-----------------|--------|--------|
| | dBuV/m | dBuV/m |
| 30 – 230 | 30 | 40 |
| 230 – 1000 | 37 | 47 |

3.2.2 LIMITS OF DISTURBANCE POWER MEASUREMENT (Below 1000MHz)

| Frequency Range (MHz) | Household and similar appliances | | Tools | | | | | |
|-----------------------|----------------------------------|-----------------|---------------------------------------|-----------------|---|-----------------|---------------------------------|-------------------|
| | dB (pW) Quasi-peak | dB (pW) Averag* | Rated motor power not exceeding 700 W | | Rated motor power above 700 W and not exceeding 1 000 W | | Rated motor power above 1 000 W | |
| (MHz) | dB (pW) Quasi-peak | dB (pW) Averag* | dB (pW) Quasi-peak | dB (pW) Averag* | dB (pW) Quasi-peak | dB (pW) Averag* | dB (pW) Quasi-peak | dB (pW) Average * |
| 30-300 | 44-55 | 35-45 | 44-55 | 35-45 | 49-59 | 39-49 | 55-65 | 45-55 |

* If the limit for the measurement with the average detector is met when using a receiver with a quasi-peak detector, the equipment under test shall be deemed to meet both limits and the measurement using the receiver with an average detector need not be carried out.

Notes:

- (1) The limit for radiated test was performed according to as following: CISPR 14.
- (2) The tighter limit applies at the band edges.
- (3) Emission level (dBuV/m)=20log Emission level (uV/m).


3.2.3 TEST PROCEDURE

- a. The measuring distance of at 10 m shall be used for measurements at frequency up to 1GHz. For frequencies above 1GHz, any suitable measuring distance may be used.
- b. The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 10 meter open area test site. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The height of the equipment or of the substitution antenna shall be 0.8 m; the height of the test antenna shall vary between 1 m to 4 m. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. The initial step in collecting conducted emission data is a spectrum analyzer peak detector mode pre-scanning the measurement frequency range. Significant peaks are then marked and then Quasi Peak detector mode re-measured, above 1G Average detector mode will be instead.


- e. If the Peak Mode measured value compliance with and lower than Quasi Peak Mode Limit, the EUT shall be deemed to meet QP(AV) Limits and then no additional QP Mode measurement performed.
- f. For the actual test configuration, please refer to the related Item –EUT Test Photos.

3.2.4 TEST SETUP

(A) Radiated Emission Test Set-Up Frequency Below 1 GHz.



(B) Disturbance Power Test Set-UP Frequency Below 1GHz




3.2.5 EUT OPERATING CONDITIONS

The EUT tested system was configured as the statements of **2.3** Unless otherwise a special operating condition is specified in the follows during the testing.

3.2.6 TEST RESULTS(30MHz-1000MHz)


| | | | |
|---------------|---|---------------------|------------|
| EUT : | Multipurpose ozone sterilizer for water and air | Model Name. : | ST-500WOG |
| Temperature : | 24 °C | Relative Humidity : | 54% |
| Pressure : | 1010 hPa | Test Date : | 2021-08-19 |
| Test Mode : | Running | Polarization : | Horizontal |
| Test Power : | AC 230V/50Hz | | |



Site: Polarization: *Horizontal* Temperature:
 Limit: EN 55014-1:2017 Radiation(QP) Power: Humidity: %
 EUT: Distance: 3m RBW: 120 KHz
 Model: VBW: 300 KHz Sweep Time: 300 ms
 Mode:
 Note:

| No. Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measurement dBuV | Limit dBuV | Over dB | Detector | Antenna Height cm | Table Degree | Comment |
|---------|-----------|--------------------|-------------------|------------------|------------|---------|----------|-------------------|--------------|---------|
| 1 | 44.1202 | 33.66 | -13.93 | 19.73 | 40.00 | -20.27 | peak | | | |
| 2 | 64.4331 | 35.17 | -15.90 | 19.27 | 40.00 | -20.73 | peak | | | |
| 3 * | 144.3348 | 53.15 | -18.68 | 34.47 | 40.00 | -5.53 | peak | | | |
| 4 | 227.6906 | 48.14 | -14.65 | 33.49 | 40.00 | -6.51 | peak | | | |
| 5 | 387.9920 | 39.29 | -10.89 | 28.40 | 47.00 | -18.60 | peak | | | |
| 6 | 661.1505 | 29.19 | -5.24 | 23.95 | 47.00 | -23.05 | peak | | | |

| | | | |
|---------------|---|---------------------|------------|
| EUT : | Multipurpose ozone sterilizer for water and air | Model Name. : | ST-500WOG |
| Temperature : | 24 °C | Relative Humidity : | 54% |
| Pressure : | 1010 hPa | Test Date : | 2021-08-19 |
| Test Mode : | Running | Polarization : | Vertical |
| Test Power : | AC 230V/50Hz | | |



Site: Polarization: **Vertical** Temperature:
 Limit: EN 55014-1:2017 Radiation(QP) Power: Humidity: %
 EUT: Distance: 3m RBW: 120 KHz
 Model: VBW: 300 KHz Sweep Time: 300 ms
 Mode:
 Note:

| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Over | Antenna Height | Table Degree | Comment |
|-----|-----|----------|---------------|----------------|-------------|-------|--------|----------------|--------------|---------|
| | | MHz | dBuV | dB | dBuV | dBuV | dB | cm | degree | |
| 1 | | 37.5479 | 46.72 | -11.03 | 35.69 | 40.00 | -4.31 | peak | | |
| 2 | | 63.9828 | 44.67 | -15.39 | 29.28 | 40.00 | -10.72 | peak | | |
| 3 | | 97.4560 | 43.07 | -15.59 | 27.48 | 40.00 | -12.52 | peak | | |
| 4 | * | 144.3348 | 58.05 | -18.53 | 39.52 | 40.00 | -0.48 | peak | | |
| 5 | | 169.5990 | 49.79 | -17.44 | 32.35 | 40.00 | -7.65 | peak | | |
| 6 | | 385.2805 | 38.97 | -11.26 | 27.71 | 47.00 | -19.29 | peak | | |

3.3 HARMONICS CURRENT

3.3.1 LIMITS OF HARMONICS CURRENT

| IEC 555-2 | | | | | |
|------------------------------------|------------------|--|--------------------|------------------|--|
| Table - I | | | Table - II | | |
| Equipment Category | Harmonic Order n | Max. Permissible Harmonic Current (in Amperes) | Equipment Category | Harmonic Order n | Max. Permissible Harmonic Current (in Amperes) |
| Non Portable Tools or TV Receivers | Odd Harmonics | | TV Receivers | Odd Harmonics | |
| | 3 | 2.30 | | 3 | 0.80 |
| | 5 | 1.14 | | 5 | 0.60 |
| | 7 | 0.77 | | 7 | 0.45 |
| | 9 | 0.40 | | 9 | 0.30 |
| | 11 | 0.33 | | 11 | 0.17 |
| | 13 | 0.21 | | 13 | 0.12 |
| | 15 ≤ n ≤ 39 | 0.15 · 15/n | | 15 ≤ n ≤ 39 | 0.10 · 15/n |
| | Even Harmonics | | | Even Harmonics | |
| | 2 | 1.08 | | 2 | 0.30 |
| 4 | 0.43 | 4 | 0.15 | | |
| 8 | 0.30 | | | | |
| 8 ≤ n ≤ 40 | 0.23 · 8/n | DC | 0.05 | | |

| EN 61000-3-2/IEC 61000-3-2 | | | | | |
|-----------------------------|---|--------------------|------------------|---|--------|
| Equipment Category | Max. Permissible Harmonic Current (in Amperes) | Equipment Category | Harmonic Order n | Max. Permissible Harmonic Current (in A) (mA/w) | |
| Class A | Same as Limits Specified in 4-2.1, Table - I, but only odd harmonics required | Class D | 3 | 2.30 | 3.4 |
| | | | 5 | 1.14 | 1.9 |
| | | | 7 | 0.77 | 1.0 |
| | | | 9 | 0.40 | 0.5 |
| | | | 11 | 0.33 | 0.35 |
| | | | 13 ≤ n ≤ 39 | see Table I | 3.85/n |
| only odd harmonics required | | | | | |


3.3.1.1 TEST PROCEDURE

- a. The EUT was placed on the top of a wooden table 0.8 meters above the ground and operated to produce the maximum harmonic components under normal operating conditions.
- b. The classification of EUT is according to section 5 of EN 61000-3-2. The EUT is classified as follows:
 Class A: Balanced three-phase equipment, Household appliances excluding equipment as Class D, Tools excluding portable tools, Dimmers for incandescent lamps, audio equipment, equipment not specified in one of the three other classes.
 Class B: Portable tools. Portable tools.; Arc welding equipment which is not professional equipment.
 Class C: Lighting equipment.
 Class D: Equipment having a specified power less than or equal to 600W of the following types: Personal computers and personal computer monitors and television receivers.
- c. The correspondent test program of test instrument to measure the current harmonics emanated from EUT is chosen. The measure time shall be not less than the time necessary for the EUT to be exercised.

3.3.1.2 EUT OPERATING CONDITIONS

The EUT tested system was configured as the statements of 2.3 Unless otherwise a special operating condition is specified in the follows during the testing.

3.3.1.3 TEST SETUP



3.3.2 TEST RESULTS

| | | | |
|---------------|---|---------------------|------------|
| EUT : | Multipurpose ozone sterilizer for water and air | Model Name. : | ST-500WOG |
| Temperature : | 25 °C | Relative Humidity : | 45% |
| Pressure : | 1010 hPa | Test Date : | 2021-08-19 |
| Test Mode : | Running | | |
| Test Power : | AC 230V/50Hz | | |

E. U. T. Result

| | |
|---|------|
| Harmonic(s) > 200 : | |
| Order (n): | None |
| Harmonic(s) with average > 90%: | |
| Order (n): | None |
| Harmonic(s) between 150% and 200% during more than 10% of the test time or max. 10min: | |
| Order (n): | None |

Power Source Result

| | |
|------------------------------------|------|
| First dataset out of limit: | |
| DS (time): | None |
| Harmonic(s) out of limit: | |
| Order (n): | None |

Average harmonic current results

| Hn | I _{eff} [A] | I _{eff} [%] | Limit [A] | Result |
|----|----------------------|----------------------|-----------|--------|
| 1 | 103.384E-3 | 100.000 | | |
| 2 | 956.891E-6 | 0.926 | 972.00E-3 | PASS |
| 3 | 83.690E-3 | 80.951 | 2.07 | PASS |
| 4 | 1.808E-3 | 1.749 | 387.00E-3 | PASS |
| 5 | 77.497E-3 | 74.960 | 1.03 | PASS |
| 6 | 705.481E-6 | 0.682 | 270.00E-3 | PASS |
| 7 | 60.989E-3 | 58.993 | 693.00E-3 | PASS |
| 8 | 703.456E-6 | 0.680 | 207.00E-3 | PASS |
| 9 | 43.751E-3 | 42.319 | 360.00E-3 | PASS |
| 10 | 898.653E-6 | 0.869 | 165.60E-3 | PASS |
| 11 | 28.954E-3 | 28.006 | 297.00E-3 | PASS |
| 12 | 841.106E-6 | 0.814 | 138.00E-3 | PASS |
| 13 | 14.128E-3 | 13.666 | 189.00E-3 | PASS |
| 14 | 826.600E-6 | 0.800 | 118.29E-3 | PASS |
| 15 | 3.875E-3 | 3.748 | 135.00E-3 | PASS |
| 16 | 634.699E-6 | 0.614 | 103.50E-3 | PASS |
| 17 | 3.128E-3 | 3.026 | 119.11E-3 | PASS |
| 18 | 1.014E-3 | 0.980 | 92.00E-3 | PASS |
| 19 | 6.080E-3 | 5.881 | 106.58E-3 | PASS |
| 20 | 575.798E-6 | 0.557 | 82.80E-3 | PASS |
| 21 | 6.606E-3 | 6.390 | 96.43E-3 | PASS |
| 22 | 1.049E-3 | 1.015 | 75.28E-3 | PASS |
| 23 | 4.577E-3 | 4.427 | 88.05E-3 | PASS |
| 24 | 633.660E-6 | 0.613 | 68.99E-3 | PASS |
| 25 | 2.693E-3 | 2.605 | 81.00E-3 | PASS |
| 26 | 954.876E-6 | 0.924 | 63.69E-3 | PASS |
| 27 | 603.163E-6 | 0.583 | 75.00E-3 | PASS |
| 28 | 563.846E-6 | 0.545 | 59.14E-3 | PASS |
| 29 | 1.683E-3 | 1.628 | 69.83E-3 | PASS |
| 30 | 651.872E-6 | 0.631 | 55.20E-3 | PASS |
| 31 | 2.371E-3 | 2.293 | 65.32E-3 | PASS |
| 32 | 617.490E-6 | 0.597 | 51.75E-3 | PASS |
| 33 | 2.313E-3 | 2.238 | 61.36E-3 | PASS |
| 34 | 619.118E-6 | 0.599 | 48.71E-3 | PASS |
| 35 | 1.537E-3 | 1.487 | 57.86E-3 | PASS |
| 36 | 609.259E-6 | 0.589 | 46.00E-3 | PASS |
| 37 | 858.899E-6 | 0.831 | 54.73E-3 | PASS |
| 38 | 552.790E-6 | 0.535 | 43.58E-3 | PASS |
| 39 | 935.659E-6 | 0.905 | 51.92E-3 | PASS |
| 40 | 646.854E-6 | 0.626 | 41.40E-3 | PASS |

Maximum harmonic current results

| Hn | leff [A] | leff [%] | Limit [A] | Result |
|----|------------|----------|-----------|--------|
| 1 | 103.606E-3 | 100.000 | | |
| 2 | 1.170E-3 | 1.129 | 2.16 | PASS |
| 3 | 83.874E-3 | 80.955 | 4.60 | PASS |
| 4 | 1.931E-3 | 1.864 | 860.00E-3 | PASS |
| 5 | 77.628E-3 | 74.927 | 2.28 | PASS |
| 6 | 812.338E-6 | 0.784 | 600.00E-3 | PASS |
| 7 | 61.093E-3 | 58.967 | 1.54 | PASS |
| 8 | 764.689E-6 | 0.738 | 460.00E-3 | PASS |
| 9 | 43.928E-3 | 42.399 | 800.00E-3 | PASS |
| 10 | 1.012E-3 | 0.977 | 368.00E-3 | PASS |
| 11 | 29.067E-3 | 28.055 | 660.00E-3 | PASS |
| 12 | 908.323E-6 | 0.877 | 306.66E-3 | PASS |
| 13 | 14.290E-3 | 13.793 | 420.00E-3 | PASS |
| 14 | 891.760E-6 | 0.861 | 262.86E-3 | PASS |
| 15 | 4.058E-3 | 3.916 | 300.00E-3 | PASS |
| 16 | 722.895E-6 | 0.698 | 230.00E-3 | PASS |
| 17 | 3.322E-3 | 3.207 | 264.70E-3 | PASS |
| 18 | 1.139E-3 | 1.099 | 204.44E-3 | PASS |
| 19 | 6.237E-3 | 6.020 | 236.84E-3 | PASS |
| 20 | 650.921E-6 | 0.628 | 184.00E-3 | PASS |
| 21 | 6.722E-3 | 6.488 | 214.28E-3 | PASS |
| 22 | 1.139E-3 | 1.100 | 167.28E-3 | PASS |
| 23 | 4.697E-3 | 4.534 | 195.66E-3 | PASS |
| 24 | 717.536E-6 | 0.693 | 153.32E-3 | PASS |
| 25 | 2.792E-3 | 2.695 | 180.00E-3 | PASS |
| 26 | 1.041E-3 | 1.005 | 141.54E-3 | PASS |
| 27 | 677.390E-6 | 0.654 | 166.66E-3 | PASS |
| 28 | 614.130E-6 | 0.593 | 131.42E-3 | PASS |
| 29 | 1.759E-3 | 1.698 | 155.18E-3 | PASS |
| 30 | 713.875E-6 | 0.689 | 122.66E-3 | PASS |
| 31 | 2.462E-3 | 2.376 | 145.16E-3 | PASS |
| 32 | 703.805E-6 | 0.679 | 115.00E-3 | PASS |
| 33 | 2.428E-3 | 2.343 | 136.36E-3 | PASS |
| 34 | 676.075E-6 | 0.653 | 108.24E-3 | PASS |
| 35 | 1.771E-3 | 1.710 | 128.58E-3 | PASS |
| 36 | 671.761E-6 | 0.648 | 102.22E-3 | PASS |
| 37 | 911.717E-6 | 0.880 | 121.62E-3 | PASS |
| 38 | 622.430E-6 | 0.601 | 96.84E-3 | PASS |
| 39 | 1.018E-3 | 0.982 | 115.38E-3 | PASS |
| 40 | 752.266E-6 | 0.726 | 92.00E-3 | PASS |

Maximum harmonic voltage results

| Hn | Ueff [V] | Ueff [%] | Limit [%] | Result |
|----|-----------|----------|-----------|--------|
| 1 | 231.45 | 100.632 | | |
| 2 | 67.57E-3 | 0.029 | 0.2 | PASS |
| 3 | 158.12E-3 | 0.069 | 0.9 | PASS |
| 4 | 15.94E-3 | 0.007 | 0.2 | PASS |
| 5 | 44.69E-3 | 0.019 | 0.4 | PASS |
| 6 | 12.02E-3 | 0.005 | 0.2 | PASS |
| 7 | 95.62E-3 | 0.042 | 0.3 | PASS |
| 8 | 15.97E-3 | 0.007 | 0.2 | PASS |
| 9 | 72.36E-3 | 0.031 | 0.2 | PASS |
| 10 | 9.02E-3 | 0.004 | 0.2 | PASS |
| 11 | 23.33E-3 | 0.010 | 0.1 | PASS |
| 12 | 13.23E-3 | 0.006 | 0.1 | PASS |
| 13 | 63.13E-3 | 0.027 | 0.1 | PASS |
| 14 | 11.19E-3 | 0.005 | 0.1 | PASS |
| 15 | 22.11E-3 | 0.010 | 0.1 | PASS |
| 16 | 9.83E-3 | 0.004 | 0.1 | PASS |
| 17 | 13.44E-3 | 0.006 | 0.1 | PASS |
| 18 | 10.45E-3 | 0.005 | 0.1 | PASS |
| 19 | 29.57E-3 | 0.013 | 0.1 | PASS |
| 20 | 10.70E-3 | 0.005 | 0.1 | PASS |
| 21 | 39.51E-3 | 0.017 | 0.1 | PASS |
| 22 | 11.87E-3 | 0.005 | 0.1 | PASS |
| 23 | 26.81E-3 | 0.012 | 0.1 | PASS |
| 24 | 12.91E-3 | 0.006 | 0.1 | PASS |
| 25 | 15.26E-3 | 0.007 | 0.1 | PASS |
| 26 | 10.97E-3 | 0.005 | 0.1 | PASS |
| 27 | 23.50E-3 | 0.010 | 0.1 | PASS |
| 28 | 15.68E-3 | 0.007 | 0.1 | PASS |
| 29 | 32.63E-3 | 0.014 | 0.1 | PASS |
| 30 | 10.31E-3 | 0.004 | 0.1 | PASS |
| 31 | 28.90E-3 | 0.013 | 0.1 | PASS |
| 32 | 11.03E-3 | 0.005 | 0.1 | PASS |
| 33 | 19.73E-3 | 0.009 | 0.1 | PASS |
| 34 | 11.35E-3 | 0.005 | 0.1 | PASS |
| 35 | 18.05E-3 | 0.008 | 0.1 | PASS |
| 36 | 10.56E-3 | 0.005 | 0.1 | PASS |
| 37 | 25.55E-3 | 0.011 | 0.1 | PASS |
| 38 | 11.48E-3 | 0.005 | 0.1 | PASS |
| 39 | 27.56E-3 | 0.012 | 0.1 | PASS |
| 40 | 10.72E-3 | 0.005 | 0.1 | PASS |

Harmonic current results - DS: 12

| Hn | I _{eff} [A] | I _{eff} [%] | Limit [A] | Result |
|----|----------------------|----------------------|-----------|--------|
| 1 | 103.352E-3 | 100.000 | | |
| 2 | 926.032E-6 | 0.896 | 1.08 | PASS |
| 3 | 83.757E-3 | 81.041 | 2.30 | PASS |
| 4 | 1.823E-3 | 1.763 | 430.00E-3 | PASS |
| 5 | 77.452E-3 | 74.940 | 1.14 | PASS |
| 6 | 649.967E-6 | 0.629 | 300.00E-3 | PASS |
| 7 | 60.866E-3 | 58.892 | 770.00E-3 | PASS |
| 8 | 732.364E-6 | 0.709 | 230.00E-3 | PASS |
| 9 | 43.599E-3 | 42.185 | 400.00E-3 | PASS |
| 10 | 891.259E-6 | 0.862 | 184.00E-3 | PASS |
| 11 | 28.800E-3 | 27.866 | 330.00E-3 | PASS |
| 12 | 884.144E-6 | 0.855 | 153.33E-3 | PASS |
| 13 | 13.926E-3 | 13.475 | 210.00E-3 | PASS |
| 14 | 777.239E-6 | 0.752 | 131.43E-3 | PASS |
| 15 | 3.683E-3 | 3.564 | 150.00E-3 | PASS |
| 16 | 629.864E-6 | 0.609 | 115.00E-3 | PASS |
| 17 | 3.266E-3 | 3.160 | 132.35E-3 | PASS |
| 18 | 1.024E-3 | 0.990 | 102.22E-3 | PASS |
| 19 | 6.221E-3 | 6.019 | 118.42E-3 | PASS |
| 20 | 561.889E-6 | 0.544 | 92.00E-3 | PASS |
| 21 | 6.684E-3 | 6.467 | 107.14E-3 | PASS |
| 22 | 1.064E-3 | 1.029 | 83.64E-3 | PASS |
| 23 | 4.568E-3 | 4.420 | 97.83E-3 | PASS |
| 24 | 651.190E-6 | 0.630 | 76.66E-3 | PASS |
| 25 | 2.683E-3 | 2.596 | 90.00E-3 | PASS |
| 26 | 933.890E-6 | 0.904 | 70.77E-3 | PASS |
| 27 | 580.964E-6 | 0.562 | 83.33E-3 | PASS |
| 28 | 537.537E-6 | 0.520 | 65.71E-3 | PASS |
| 29 | 1.740E-3 | 1.683 | 77.59E-3 | PASS |
| 30 | 613.010E-6 | 0.593 | 61.33E-3 | PASS |
| 31 | 2.426E-3 | 2.347 | 72.58E-3 | PASS |
| 32 | 621.079E-6 | 0.601 | 57.50E-3 | PASS |
| 33 | 2.365E-3 | 2.288 | 68.18E-3 | PASS |
| 34 | 631.753E-6 | 0.611 | 54.12E-3 | PASS |
| 35 | 1.490E-3 | 1.441 | 64.29E-3 | PASS |
| 36 | 631.514E-6 | 0.611 | 51.11E-3 | PASS |
| 37 | 881.833E-6 | 0.853 | 60.81E-3 | PASS |
| 38 | 532.572E-6 | 0.515 | 48.42E-3 | PASS |
| 39 | 860.089E-6 | 0.832 | 57.69E-3 | PASS |
| 40 | 675.645E-6 | 0.654 | 46.00E-3 | PASS |

Caution: Results related to the 100% limit values

Harmonic voltage results - DS: 12

| Hn | Ueff [V] | Ueff [%] | Limit [%] | Result |
|----|-----------|----------|-----------|--------|
| 1 | 231.44 | 100.625 | | |
| 2 | 55.73E-3 | 0.024 | 0.2 | PASS |
| 3 | 134.73E-3 | 0.059 | 0.9 | PASS |
| 4 | 10.64E-3 | 0.005 | 0.2 | PASS |
| 5 | 32.44E-3 | 0.014 | 0.4 | PASS |
| 6 | 8.87E-3 | 0.004 | 0.2 | PASS |
| 7 | 77.44E-3 | 0.034 | 0.3 | PASS |
| 8 | 5.72E-3 | 0.002 | 0.2 | PASS |
| 9 | 58.06E-3 | 0.025 | 0.2 | PASS |
| 10 | 1.60E-3 | 0.001 | 0.2 | PASS |
| 11 | 12.39E-3 | 0.005 | 0.1 | PASS |
| 12 | 2.98E-3 | 0.001 | 0.1 | PASS |
| 13 | 60.94E-3 | 0.026 | 0.1 | PASS |
| 14 | 11.19E-3 | 0.005 | 0.1 | PASS |
| 15 | 13.76E-3 | 0.006 | 0.1 | PASS |
| 16 | 6.48E-3 | 0.003 | 0.1 | PASS |
| 17 | 8.90E-3 | 0.004 | 0.1 | PASS |
| 18 | 2.83E-3 | 0.001 | 0.1 | PASS |
| 19 | 19.06E-3 | 0.008 | 0.1 | PASS |
| 20 | 6.34E-3 | 0.003 | 0.1 | PASS |
| 21 | 31.93E-3 | 0.014 | 0.1 | PASS |
| 22 | 4.97E-3 | 0.002 | 0.1 | PASS |
| 23 | 21.17E-3 | 0.009 | 0.1 | PASS |
| 24 | 9.28E-3 | 0.004 | 0.1 | PASS |
| 25 | 8.85E-3 | 0.004 | 0.1 | PASS |
| 26 | 4.92E-3 | 0.002 | 0.1 | PASS |
| 27 | 20.09E-3 | 0.009 | 0.1 | PASS |
| 28 | 1.25E-3 | 0.001 | 0.1 | PASS |
| 29 | 25.30E-3 | 0.011 | 0.1 | PASS |
| 30 | 7.98E-3 | 0.003 | 0.1 | PASS |
| 31 | 24.55E-3 | 0.011 | 0.1 | PASS |
| 32 | 4.66E-3 | 0.002 | 0.1 | PASS |
| 33 | 15.51E-3 | 0.007 | 0.1 | PASS |
| 34 | 6.21E-3 | 0.003 | 0.1 | PASS |
| 35 | 15.04E-3 | 0.007 | 0.1 | PASS |
| 36 | 3.45E-3 | 0.002 | 0.1 | PASS |
| 37 | 17.82E-3 | 0.008 | 0.1 | PASS |
| 38 | 8.04E-3 | 0.003 | 0.1 | PASS |
| 39 | 25.61E-3 | 0.011 | 0.1 | PASS |
| 40 | 1.09E-3 | 0.000 | 0.1 | PASS |

Power and THD results - DS: 12

| | | | |
|-------------------|----------|-------------------|---------|
| True power P: | 130.0W | Apparent power S: | 134.4VA |
| Reactiv power Q: | 34.10var | Power factor: | 0.432 |
| THD (U): | 0.001 | THD (I): | 1.362 |
| Crest Factor (U): | 1.412 | Crest Factor (I): | 3.204 |

3.4 VOLTAGE FLUCTUATION AND FLICKERS

3.4.1 LIMITS OF VOLTAGE FLUCTUATION AND FLICKERS

| Tests | Limits | | Descriptions |
|-------|--------------------|---------------------|----------------------------------|
| | IEC555-3 | IEC/EN 61000-3-3 | |
| Pst | ≤ 1.0, Tp= 10 min. | ≤ 1.0, Tp= 10 min. | Short Term Flicker Indicator |
| Plt | N/A | ≤ 0.65, Tp=2 hr. | Long Term Flicker Indicator |
| dc | ≤ 3% | ≤ 3.3% | Relative Steady-State V-Chang |
| dmax | ≤ 4% | ≤ 4% | Maximum Relative V-change |
| d (t) | N/A | ≤ 3.3% for > 500 ms | Relative V-change characteristic |

3.4.1.1 TEST PROCEDURE

a. Harmonic Current Test:

Test was performed according to the procedures specified in Clause 5.0 of IEC555-2 and/or Sub-clause 6.2 of IEC/EN 61000-3-2 depend on which standard adopted for compliance measurement.

b. Fluctuation and Flickers Test:


Tests was performed according to the Test Conditions/Assessment of Voltage Fluctuations specified in Clause 5.0/6.0 of IEC555-3 and/or Clause 6.0/4.0 of IEC/EN 61000-3-3 depend on which standard adopted for compliance measurement.

c. All types of harmonic current and/or voltage fluctuation in this report are assessed by direct measurement using flicker-meter.

3.4.1.2 EUT OPERATING CONDITIONS

The EUT tested system was configured as the statements of 2.3 Unless otherwise a special operating condition is specified in the follows during the testing.

3.4.1.3 TEST SETUP



3.4.2 TEST RESULTS

| | | | |
|---------------|---|---------------------|------------|
| EUT : | Multipurpose ozone sterilizer for water and air | Model Name. : | ST-500WOG |
| Temperature : | 25 °C | Relative Humidity : | 45% |
| Pressure : | 1010 hPa | Test Date : | 2021-08-19 |
| Test Mode : | Running | | |
| Test Power : | AC 230V/50Hz | | |

Maximum Flicker results

| | EUT values | Limit | Result |
|----------|-------------------|--------------|---------------|
| Pst | 0.028 | 1.00 | PASS |
| Plt | 0.028 | 0.65 | PASS |
| dc [%] | 0.005 | 3.30 | PASS |
| dmax [%] | 0.224 | 7.00 | PASS |
| dt [s] | 0.000 | 0.50 | PASS |

4. EMC IMMUNITY TEST

4.1 STANDARD COMPLIANCE/ SERVIRITY LEVEL/ CRITERIA

| Tests Standard No. | TEST SPECIFICATION | Test Mode Test Ports | Perform. Criteria |
|---|---|---------------------------------|----------------------|
| 1. ESD IEC/EN 61000-4-2 | 8KV air discharge 4KV contact discharge | Direct Mode | B |
| | 4KV HCP discharge 4KV VCP discharge | Indirect Mode | B |
| 2. RS IEC/EN 61000-4-3 | 80 MHz to 1000 MHz, 1000Hz, 80%, AM modulated | Enclosure | A |
| 3. EFT/Burst IEC/EN 61000-4-4 | 5/50ns Tr/Th 5KHz Repetition Freq. | Power Supply Port | B |
| | 5/50ns Tr/Th 5KHz Repetition Freq. | CTL/Signal Data Line Port | B |
| 4. Surges IEC/EN 61000-4-5 | 1.2/50(8/20) Tr/Th us | L-N | B |
| | 1.2/50(8/20) Tr/Th us | L-PE N-PE | B |
| 5 Injected Current IEC/EN 61000-4-6 | 0.15 MHz to 80 MHz, 1000Hz 80 % , AM Modulated 150Ω source impedance | CTL/Signal Port | A |
| | 0.15 MHz to 80 MHz, 1000Hz 80 % , AM Modulated 150Ω source impedance | AC Power Port | A |
| | 0.15 MHz to 80 MHz, 1000Hz 80 % , AM Modulated 150Ω source impedance | DC Power Port | A |
| 6. Power Frequency Magnetic Field IEC/EN 61000-4-8 | 50 Hz, | Enclosure | A |
| 7. Volt. Interruptions Volt. Dips IEC/EN 61000-4-11 | Voltage dip 0% | AC Power Port | C |
| | Voltage dip 30% | | C |
| | Voltage dip 60% | | C |

4.2 GENERAL PERFORMANCE CRITERIA

According to **EN 55014-2** standard, the general performance criteria as following:

| | |
|---------------------------|---|
| <p>Criterion A</p> | <p>The equipment shall continue to operate as intended without operator intervention. No degradation of performance or loss of function is allowed below a performance level specified by the manufacturer when the equipment is used as intended.</p> <p>The performance level may be replaced by a permissible loss of performance. If the minimum performance level or the permissible performance loss is not specified by the manufacturer, then either of these may be derived from the product description and documentation, and by what the user may reasonably expect from the equipment if used as intended.</p> |
| <p>Criterion B</p> | <p>After the test, the equipment shall continue to operate as intended without operator intervention. No degradation of performance or loss of function is allowed, after the application of the phenomena below a performance level specified by the manufacturer, when the equipment is used as intended.</p> <p>The performance level may be replaced by a permissible loss of performance. During the test, degradation of performance is allowed. However, no change of operating state or stored data is allowed to persist after the test.</p> |
| <p>Criterion C</p> | <p>Loss of function is allowed, provided the function is self-recoverable, or can be restored by the operation of the controls by the user in accordance with the manufacturer's instructions.</p> <p>Functions, and/or information stored in non-volatile memory, or protected by a battery backup, shall not be lost.</p> |

4.3 GENERAL PERFORMANCE CRITERIA TEST SETUP

The EUT tested system was configured as the statements of **2.3** Unless otherwise a special operating condition is specified in the follows during the testing.

4.4 ESD TESTING

4.4.1 TEST SPECIFICATION

| | |
|----------------------|--|
| Basic Standard: | IEC/EN 61000-4-2 |
| Discharge Impedance: | 330 ohm / 150 pF |
| Required Performance | B |
| Discharge Voltage: | Air Discharge : 2kV/4kV/8kV (Direct) Contact Discharge : 2kV/4kV (Direct/Indirect) |
| Polarity: | Positive & Negative |
| Number of Discharge: | Air Discharge: min. 20 times at each test point Contact Discharge: min. 20 at each test point |
| Discharge Mode: | Single Discharge |
| Discharge Period: | 1 second minimum |

4.4.2 TEST PROCEDURE

The test generator necessary to perform direct and indirect application of discharges to the EUT in the following manner:

a. Vertical Coupling Plane (VCP):

The coupling plane, of dimensions 0.5m x 0.5m, is placed parallel to, and positioned at a distance 0.1m from, the EUT, with the Discharge Electrode touching the coupling plane. The four faces of the EUT will be performed with electrostatic discharge.


Horizontal Coupling Plane (HCP):

The coupling plane is placed under to the EUT. The generator shall be positioned vertically at a distance of 0.1m from the EUT, with the Discharge Electrode touching the coupling plane. The four faces of the EUT will be performed with electrostatic discharge.

b. Air discharges at insulation surfaces of the EUT.

It was at least ten single discharges with positive and negative at the same selected point.

4.4.3 TEST SETUP



Note:

TABLE-TOP EQUIPMENT

The configuration consisted of a wooden table 0.8 meters high standing on the Ground Reference Plane. The GRP consisted of a sheet of aluminum at least 0.25mm thick, and 2.5 meters square connected to the protective grounding system. A Horizontal Coupling Plane (1.6m x 0.8m) was placed on the table and attached to the GRP by means of a cable with 940k total impedance. The equipment under test, was installed in a representative system as described in section 7 of IEC /EN 61000-4-2, and its cables were placed on the HCP and isolated by an insulating support of 0.5mm thickness. A distance of 1-meter minimum was provided between the EUT and the walls of the laboratory and any other metallic structure.

FLOOR-STANDING EQUIPMENT

The equipment under test was installed in a representative system as described in section 7 of IEC/EN 61000-4-2, and its cables were isolated from the Ground Reference Plane by an insulating support of 0.1-meter thickness. The GRP consisted of a sheet of aluminum that is at least 0.25mm thick, and 2.5meters square connected to the protective grounding system and extended at least 0.5 meters from the EUT on all sides.

4.4.4 TEST RESULTS

| | | | |
|---------------|---|---------------------|------------|
| EUT : | Multipurpose ozone sterilizer for water and air | Model Name. : | ST-500WOG |
| Temperature : | 25 °C | Relative Humidity : | 45% |
| Pressure : | 1010 hPa | Test Date : | 2021-08-19 |
| Test Mode : | Running | | |
| Test Power : | AC 230V/50Hz | | |

| Mode | Air Discharge | | | | | | | | Contact Discharge | | | | | | | | Criterion | Result |
|-----------------|---------------|---|---|---|---|---|----|---|-------------------|---|---|---|---|---|---|---|-----------|--------|
| | 2 | | 4 | | 8 | | 15 | | 2 | | 4 | | 6 | | 8 | | | |
| Test level (kV) | | | | | | | | | | | | | | | | | | |
| Test Location | + | - | + | - | + | - | + | - | + | - | + | - | + | - | + | - | | |
| HCP | | | | | | | | | A | A | A | A | | | | | B | PASS |
| VCP | | | | | | | | | A | A | A | A | | | | | | PASS |
| Slit | A | A | A | A | A | A | | | | | | | | | | | | PASS |
| Surface | | | | | | | | | | | A | A | | | | | | PASS |
| Screw | | | | | | | | | | | A | A | | | | | | PASS |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

Note:

- 1) +/- denotes the Positive/Negative polarity of the output voltage.
- 2) Test condition:
Direct / Indirect (HCP/VCP) discharges: Minimum 50 times (Positive/Negative) at each point. Air discharges: Minimum 10 times (Positive/Negative) at each point.
- 3) Test location(s) in which discharge (Air and contact discharge) to be applied illustrated by photos shown in next page(s)
- 4) The Indirect (HCP/VCP) discharges description of test point as following:
1. left side 2.right side 3.front side 4.rear side.
- 5) N/A - denotes test is not applicable in this test report.

4.4.5 PHOTO(S) SHOWN THE LOCATION(S) OF ESD EVALUATED

4.5 RS TESTING

4.5.1 TEST SPECIFICATION

| | |
|----------------------|------------------------------------|
| Basic Standard: | IEC/EN 61000-4-3 |
| Required Performance | A |
| Frequency Range: | 80 MHz - 1000 MHz |
| Field Strength: | 3 V/m |
| Modulation: | 1kHz Sine Wave, 80%, AM Modulation |
| Frequency Step: | 1 % of fundamental |
| Polarity of Antenna: | Horizontal and Vertical |
| Test Distance: | 3 m |
| Antenna Height: | 1.5 m |
| Dwell Time: | at least 3 seconds |

4.5.2 TEST PROCEDURE


The EUT and support equipment, which are placed on a table that is 0.8 meter above ground and the testing was performed in a fully-anechoic chamber.

The testing distance from antenna to the EUT was 3 meters.

The other condition as following manner:

- a. The frequency range is swept from 80 MHz to 1000 MHz, & 1400MHz - 2700MHz with the signal 80%amplitude modulated with a 1kHz sine wave. The rate of sweep did not exceed 1.5x 10⁻³ decade/s. Where the frequency range is swept incrementally, the step size was 1% of fundamental.
- b. Sweep Frequency 900 MHz, with the Duty Cycle: 1/8 and Modulation: Pulse 217 Hz(if applicable)
- c. The dwell time at each frequency shall be not less than the time necessary for the EUT to be able to respond.
- d. The test was performed with the EUT exposed to both vertically and horizontally polarized fields on each of the four sides.

4.5.3 TEST SETU



Note:

TABLE-TOP EQUIPMENT

The EUT installed in a representative system as described in section 7 of IEC/EN 61000-4-3 was placed on a non-conductive table 0.8 meters in height. The system under test was connected to the power and signal wire according to relevant installation instructions.

FLOOR-STANDING EQUIPMENT

The EUT installed in a representative system as described in section 7 of IEC/EN 61000-4-3 was placed on a non-conductive wood support 0.1 meters in height. The system under test was connected to the power and signal wire according to relevant installation instructions.

4.5.4 TEST RESULTS

| | | | |
|---------------|---|---------------------|------------|
| EUT : | Multipurpose ozone sterilizer for water and air | Model Name. : | ST-500WOG |
| Temperature : | 25 °C | Relative Humidity : | 60% |
| Pressure : | 1010 hPa | Test Date : | 2021-08-19 |
| Test Mode : | Running | | |
| Test Power : | AC 230V/50Hz | | |

| Frequency Range (MHz) | RF Field Position | R.F. Field Strength | Azimuth | Perform. Criteria | Results | Judgment |
|-----------------------|-------------------|--|---------|-------------------|----------|-------------|
| 80MHz - 1000MHz | H / V | 3 V/m (rms) AM Modulated 1000Hz, 80% | Front | A | A | PASS |
| | | | Rear | | | |
| | | | Left | | | |
| | | | Right | | | |

Note:

- 1) N/A - denotes test is not applicable in this test report.
- 2) Criteria A: There was no change operated with initial operating during the test.
- 3) Criteria B: The EUT function loss during the test, but self-recoverable after the test.
- 4) Criteria C: The system shut down during the test.

4.6 EFT/BURST TESTING

4.6.1 TEST SPECIFICATION



| | |
|----------------------|---|
| Basic Standard: | IEC/EN 61000-4-4 |
| Required Performance | B |
| Test Voltage: | Power Line : 1 kV Signal/Control Line : 0.5 KV |
| Polarity: | Positive & Negative |
| Impulse Frequency: | 5 kHz |
| Impulse Wave shape : | 5/50 ns |
| Burst Duration: | 15 ms |
| Burst Period: | 300 ms |
| Test Duration: | Not less than 1 min. |

4.6.2 TEST PROCEDURE

The EUT and its simulators were placed on a ground reference plane and were insulated from it by a wood support 0.1m + 0.01m thick. The ground reference plane was 1m*1m metallic sheet with 0.65mm minimum thickness. The other condition as following manner:

- a. The length of power cord between the coupling device and the EUT should not exceed 1 meter.
- b. Both positive and negative polarity discharges were applied.
- c. The duration time of each test sequential was 1 minute.

4.6.3 TEST SETUP



Note:

TABLE-TOP EQUIPMENT

The configuration consisted of a wooden table (0.8m high) standing on the Ground Reference Plane. The GRP consisted of a sheet of aluminum (at least 0.25mm thick and 2.5m square) connected to the protective grounding system. A minimum distance of 0.5m was provided between the EUT and the walls of the laboratory or any other metallic structure.

FLOOR-STANDING EQUIPMENT

The EUT installed in a representative system as described in section 7 of IEC/EN 61000-4-4 and its cables, were isolated from the Ground Reference Plane by an insulating support that is 0.1-meter thick. The GRP consisted of a sheet of aluminum (at least 0.25mm thick and 2.5m square) connected to the protective grounding system.

4.6.4 TEST RESULTS

| | | | |
|---------------|---|---------------------|------------|
| EUT : | Multipurpose ozone sterilizer for water and air | Model Name. : | ST-500WOG |
| Temperature : | 25 °C | Relative Humidity : | 60% |
| Pressure : | 1010 hPa | Test Date : | 2021-08-19 |
| Test Mode : | Running | | |
| Test Power : | AC 230V/50Hz | | |

| Coupling Line | | Test level (kV) | | | | | | | | Criterion | Result |
|---------------|--------|-----------------|---|---|---|---|---|---|---|-----------|--------|
| | | 0.5 | | 1 | | 2 | | 4 | | | |
| | | + | - | + | - | + | - | + | - | | |
| AC line | L | A | A | A | A | | | | | B | PASS |
| | N | A | A | A | A | | | | | | PASS |
| | PE | | | | | | | | | | |
| | L+N | A | A | A | A | | | | | | PASS |
| | L+PE | | | | | | | | | | |
| | N+PE | | | | | | | | | | |
| | L+N+PE | | | | | | | | | | |
| DC Line | | | | | | | | | | | |
| Signal Line | | | | | | | | | | | |

Note:

- 1) +/- denotes the Positive/Negative polarity of the output voltage.
- 2) N/A - denotes test is not applicable in this test report.
- 3) Criteria A: There was no change operated with initial operating during the test.
- 4) Criteria B: The EUT function loss during the test, but self-recoverable after the test.
- 5) Criteria C: The system shut down during the test.

4.7 SURGE TESTING

4.7.1 TEST SPECIFICATION

| | |
|------------------------|--|
| Basic Standard: | IEC/EN 61000-4-5 |
| Required Performance | B |
| Wave-Shape: | Combination Wave 1.2/50 us Open Circuit Voltage 8 /20 us Short Circuit Current |
| Test Voltage: | Power Line : 0.5 kV, 1 kV, 2 kV |
| Surge Input/Output: | L-N, L-PE, N-PE |
| Generator Source: | 2 ohm between networks |
| Impedance: | 12 ohm between network and ground |
| Polarity: | Positive/Negative |
| Phase Angle: | 0 /90/180/270° |
| Pulse Repetition Rate: | 1 time / min. (maximum) |
| Number of Tests: | 5 positive and 5 negative at selected points |

4.7.2 TEST PROCEDURE

a. For EUT power supply:

The surge is to be applied to the EUT power supply terminals via the capacitive coupling network. Decoupling networks are required in order to avoid possible adverse effects on equipment not under test that may be powered by the same lines, and to provide sufficient decoupling impedance to the surge wave. The power cord between the EUT and the coupling/decoupling networks shall be 2meters in length (or shorter).


b. For test applied to unshielded unsymmetrically operated interconnection lines of EUT:

The surge is applied to the lines via the capacitive coupling. The coupling /decoupling networks shall not influence the specified functional conditions of the EUT. The interconnection line between the EUT and the coupling/decoupling networks shall be 2 meters in length (or shorter).

c. For test applied to unshielded symmetrically operated interconnection /telecommunication lines of EUT:

d. The surge is applied to the lines via gas arrestors coupling. Test levels below the ignition point of the coupling arrestor cannot be specified. The interconnection line between the EUT and the coupling/decoupling networks shall be 2 meters in length (or shorter).

4.7.3 TEST SETUP



4.7.4 TEST RESULTS

| | | | |
|---------------|---|---------------------|------------|
| EUT : | Multipurpose ozone sterilizer for water and air | Model Name. : | ST-500WOG |
| Temperature : | 25 °C | Relative Humidity : | 60% |
| Pressure : | 1010 hPa | Test Date : | 2021-08-19 |
| Test Mode : | Running | | |
| Test Power : | AC 230V/50Hz | | |

| Coupling Line | | | Test level | | | | | | | | Criterion | Result | |
|---------------|------|------|------------|---|------|---|------|---|------|---|-----------|--------|--|
| | | | 0.5 kV | | 1 kV | | 2 kV | | 4 kV | | | | |
| | | | + | - | + | - | + | - | + | - | | | |
| AC line | L-N | 0° | A | A | A | A | | | | | B | PASS | |
| | | 90° | A | A | A | A | | | | | | | |
| | | 180° | A | A | A | A | | | | | | | |
| | | 270° | A | A | A | A | | | | | | | |
| | L-PE | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | N-PE | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| DC Line | | | | | | | | | | | | | |
| Signal Line | | | | | | | | | | | | | |

Note:

- 1) Polarity and Numbers of Impulses : 5 Pst / Ngf at each tested mode.
- 2) N/A - denotes test is not applicable in this Test Report.
- 3) Criteria A: There was no change operated with initial operating during the test.
- 4) Criteria B: The EUT function loss during the test, but self-recoverable after the test.
- 5) Criteria C: The system shut down during the test.

4.8 INJECTION CURRENT TESTING

4.8.1 TEST SPECIFICATION

| | |
|----------------------|------------------------------------|
| Basic Standard: | IEC/EN 61000-4-6 |
| Required Performance | A |
| Frequency Range: | 0.15 MHz - 80 MHz |
| Field Strength: | 3 Vr.m.s. |
| Modulation: | 1kHz Sine Wave, 80%, AM Modulation |
| Frequency Step: | 1 % of fundamental |
| Dwell Time: | at least 3 seconds |


4.8.2 TEST PROCEDURE

The EUT are placed on an insulating support 0.1m high above a ground reference plane. CDN (coupling and decoupling device) is placed on the ground plane about 0.3m from EUT. Cables between CDN and EUT are as short as possible, and their height above the ground reference plane shall be between 30 and 50mm (where possible). The disturbance signal described below is injected to EUT through CDN.

The other condition as following manner:

- a. The frequency range is swept from 150 KHz to 80 MHz, with the signal 80%amplitude modulated with a 1kHz sine wave. The rate of sweep did not exceed 1.5×10^{-3} decade/s. Where the frequency range is swept incrementally, the step size was 1% of fundamental.
- b. The dwell time at each frequency shall be not less than the time necessary for the EUT to be able to respond.

4.8.3 TEST SETUP



NOTE:

FLOOR-STANDING EQUIPMENT

The equipment to be tested is placed on an insulating support of 0.1 meters height above a ground reference plane. All relevant cables shall be provided with the appropriate coupling and decoupling devices at a distance between 0.1 meters and 0.3 meters from the projected geometry of the EUT on the ground reference plane.

4.8.4 TEST RESULTS

| | | | |
|---------------|---|---------------------|------------|
| EUT : | Multipurpose ozone sterilizer for water and air | Model Name. : | ST-500WOG |
| Temperature : | 25 °C | Relative Humidity : | 60% |
| Pressure : | 1010 hPa | Test Date : | 2021-08-19 |
| Test Mode : | Running | | |
| Test Power : | AC 230V/50Hz | | |

| Test Ports (Mode) | Freq. Range (MHz) | Field Strength | Perform. Criteria | Results | Judgment |
|------------------------------|-------------------|--|-------------------|------------|-------------|
| Input/ Output AC. Power Port | 0.15 ---80 | 3V(rms) AM Modulated 1000Hz, 80% | A | A | PASS |
| Input/ Output DC. Power Port | 0.15 --- 80 | | A | N/A | N/A |
| Signal Line | 0.15 --- 80 | | A | N/A | N/A |

Note:

- 1) N/A - denotes test is not applicable in this Test Report.
- 2) Criteria A: There was no change operated with initial operating during the test.
- 3) Criteria B: The EUT function loss during the test, but self-recoverable after the test.
- 4) Criteria C: The system shut down during the test.

4.9 VOLTAGE INTERRUPTION/DIPS TESTING


4.9.1 TEST SPECIFICATION

| | |
|-------------------------|---|
| Basic Standard: | IEC/EN 61000-4-11 |
| Required Performance: | C (For 0% Voltage Dips) C (For 30% Voltage Dips) C (For 60% Voltage Dips) |
| Test Duration Time: | Minimum three test events in sequence |
| Interval between Event: | Minimum ten seconds |
| Phase Angle: | 0°/45°/90°/135°/180°/225°/270°/315°/360° |
| Test Cycle: | 3 times |

4.9.2 TEST PROCEDURE

The EUT shall be tested for each selected combination of test levels and duration with a sequence of three dips/interruptions with intervals of 10 s minimum (between each test event). Each representative mode of operation shall be tested. Abrupt changes in supply voltage shall occur at zero crossings of the voltage waveform.

4.9.3 TEST SETUP



4.9.4 TEST RESULTS

| | | | |
|---------------|---|---------------------|------------|
| EUT : | Multipurpose ozone sterilizer for water and air | Model Name. : | ST-500WOG |
| Temperature : | 25 °C | Relative Humidity : | 60% |
| Pressure : | 1010 hPa | Test Date : | 2021-08-19 |
| Test Mode : | Running | | |
| Test Power : | AC 230V/50Hz | | |

| Interruption & Dips | Duration (T) | Perform Criteria | Results | Judgment |
|---------------------|--------------|------------------|---------|----------|
| Voltage dip 0% | 0.5 | C | B | PASS |
| Voltage dip 60% | 10 | C | B | PASS |
| Voltage dip 30% | 50 | C | B | PASS |

Note:

- 1). N/A - denotes test is not applicable in this test report.
- 2) Criteria A: There was no change operated with initial operating during the test.
- 3) Criteria B: The EUT function loss during the test, but self-recoverable after the test.
- 4) Criteria C: The system shut down during the test.

5. ATTACHMENT PHOTOGRAPHS OF EUT

Photo 1



Photo 2




Photo 3




Photo 4



Photo 5




Photo 6




Photo 7




Photo 8




Photo 9

